

Schedule 1 Prohibited matter

Biosecurity Act 2014 Schedule 1, section 29, current as at 1 July 2016

Note: Biosecurity matter may also be declared to be, or not to be, prohibited matter under a prohibited matter regulation or emergency prohibited matter declaration under chapter 2 of the Biosecurity Act 2014.

Part 1 - Aquatic diseases, parasites and viruses
abalone viral ganglioneuritis
acute hepatopancreatic necrosis syndrome (AHPNS)
akoya oyster disease
bacterial kidney disease (<i>Renibacterium salmoninarum</i>)
infection with <i>Bonamia exitiosa</i>
infection with <i>Bonamia ostreae</i>
channel catfish virus disease
crayfish plague (<i>Aphanomyces astaci</i>)
enteric redmouth disease (Hagerman strain of <i>Yersinia ruckeri</i>)
enteric septicaemia of catfish (<i>Edwardsiella ictaluri</i>) epizootic haematopoietic necrosis—EHN virus
epizootic haematopoietic necrosis—European catfish virus/European sheatfish virus
furunculosis (<i>Aeromonas salmonicida</i> subsp. <i>salmonicida</i>)
grouper iridoviral disease
gyrodactylosis (<i>Gyrodactylus salaris</i>)
infectious haematopoietic necrosis
infectious myonecrosis
infectious pancreatic necrosis
infectious salmon anaemia
iridoviroses of molluscs
koi herpesvirus disease
infection with <i>Marteilia refringens</i>
infection with <i>Marteilioides chungmuensis</i>
infection with <i>Mikrocytos mackini</i>
milky haemolymph disease of spiny lobster (<i>Panulirus</i> spp.)
monodon slow growth syndrome
necrotising hepatopancreatitis
infection with <i>ostreid herpesvirus 1</i> (OsHV-1)
oyster oedema disease
infection with <i>Perkinsus marinus</i>
pisicirickettsiosis (<i>Piscirickettsia salmonis</i>)
red sea bream iridoviral disease
spring viraemia of carp
Taura syndrome
viral haemorrhagic septicaemia
whirling disease (<i>Myxobolus cerebralis</i>)
white spot disease
yellowhead disease

Biosecurity Act 2014 Schedule 1, section 29, current as at 1 July 2016

Part 1 - Aquatic diseases, parasites and viruses

infection with *Xenohaliotis californiensis*

Part 2 - Animal diseases, parasites and viruses

acariasis (tracheal mite (*Acarapis woodi*))

African horse sickness

African swine fever

Aujeszky's disease

avian influenza, highly pathogenic

avian mycoplasmosis (*Mycoplasma synoviae*)

avian paramyxovirus (serotypes 2-9)

bee louse (Braula fly) (*Braula coeca*)

bluetongue (clinical disease)

borna disease

bovine virus diarrhoea type 2

brucellosis (*Brucella abortus*, *B. canis* and *B. melitensis*)

camel pox

Chagas disease (*Trypanosoma cruzi*)

classical swine fever

contagious agalactia

contagious bovine pleuropneumonia (*Mycoplasma mycoides mycoides* small colony type)

contagious caprine pleuropneumonia (*Mycoplasma capricolum*)

contagious equine metritis (*Taylorella equigenitalis*)

Crimean Congo haemorrhagic fever

devil facial tumour disease

dourine (*Trypanosoma equiperdum*)

duck virus enteritis (duck plague)

duck virus hepatitis

east coast fever

encephalitides (tick-borne)

enzootic abortion of ewes (*Chlamydophila abortus* and *Chlamydia psittaci* serotype 1)

epizootic haemorrhagic disease (clinical disease)

epizootic lymphangitis (*Histoplasma capsulatum* var. *farciminosum*)

equine encephalomyelitis viruses (western, eastern and Venezuelan)

equine encephalosis

equine influenza

equine piroplasmiasis (*Babesia caballi*, *B. equi* and *Theileria equi*)

foot and mouth disease

footrot in sheep (*Dichelobacter nodosus*)

fowl typhoid (*Salmonella gallinarum*)

getah virus

glanders (*Burkholderia mallei*)

goat pox

Part 2 - Animal diseases, parasites and viruses
haemorrhagic septicaemia
heartwater (<i>Ehrlichia ruminantium</i>)
infectious bursal disease (hypervirulent and exotic antigenic variant forms)
jembrana disease
louping ill
lumpy skin disease
lyssavirus other than Australian bat lyssavirus
maedi-visna
malignant catarrhal fever virus (wildebeest-associated)
menangle virus
Nairobi sheep disease
Newcastle disease (virulent)
nipah virus
peste des petits ruminants
porcine cysticercosis (<i>Cysticercus cellulosae</i>)
porcine enterovirus encephalomyelitis (Teschen)
porcine myocarditis (Bungowannah virus infection)
porcine reproductive and respiratory syndrome
post-weaning multisystemic wasting syndrome
Potomac fever
pullorum disease (<i>Salmonella pullorum</i>)
pulmonary adenomatosis (Jaagsietke)
Rift Valley fever
rinderpest
salmonellosis (<i>Salmonella abortus equi</i>)
salmonellosis (<i>Salmonella abortus ovis</i>)
screw worm fly – New World (<i>Cochliomyia hominivorax</i>)
screw worm fly – Old World (<i>Chrysomya bezziana</i>)
sheep pox
sheep scab (<i>Psoroptes ovis</i>)
surra (<i>Trypanosoma evansi</i>)
swine influenza other than H1N1
swine vesicular disease
transmissible gastroenteritis
transmissible spongiform encephalopathies (including bovine spongiform encephalopathy, chronic wasting disease of deer, feline spongiform encephalopathy, scrapie)
trichinellosis (<i>Trichinella spiralis</i>)
tropilaelaps mite (<i>Tropilaelaps clareae</i> and <i>T. mercedesae</i>)
trypanosomiasis
tuberculosis (mammalian)
tularaemia (<i>Francisella tularensis</i>)
turkey rhinotracheitis (<i>Avian metapneumovirus</i>)
varroa mite (<i>Varroa destructor</i>)
varroa mite (<i>Varroa jacobsoni</i>)

Part 2 - Animal diseases, parasites and viruses

vesicular exanthema

vesicular stomatitis

warble fly myiasis (*Hypoderma* spp.)

Wesselsbron disease

West Nile virus infection (clinical)

Part 3 - Invasive biosecurity matter—invasive plants

acacias non-indigenous to Australia (*Acaciella* spp., *Mariosousa* spp., *Senegalia* spp. and *Vachellia* spp. other than *Vachellia nilotica*, *Vachellia farnesiana*)

anchored water hyacinth (*Eichhornia azurea*)

annual thunbergia (*Thunbergia annua*) bitterweed (*Helenium amarum*)

candleberry myrtle (*Morella faya*)

cholla cactus (*Cylindropuntia* spp. and hybrids other than *C. fulgida*, *C. imbricata*, *C. proliferata*, *C. rosea*, *C. spinosior* and *C. tunicata*)

Christ's thorn (*Ziziphus spina-christi*)

Eurasian water milfoil (*Myriophyllum spicatum*)

fanworts (*Cabomba* spp. other than *C. caroliniana*)

floating water chestnuts (*Trapa* spp.)

harrisia cactus (*Harrisia* spp. syn. *Eriocereus* spp. other than *H. martinii*, *H. tortuosa* and *H. pomanensis* syn. *Cereus pomanensis*)

honey locust (*Gleditsia* spp. other than *G. triacanthos*)

Horsetails (*Equisetum* spp.)

kochia (*Bassia scoparia* syn. *Kochia scoparia*)

lagarosiphon (*Lagarosiphon major*)

mesquites (all *Prosopis* spp. and hybrids other than *P. glandulosa*, *P. pallida* and *P. velutina*)

Mexican bean tree (all *Cecropia* spp. other than *C. pachystachya*, *C. palmata* and *C. peltata*)

miconia (*Miconia* spp. other than *M. calvescens*, *M. cionotricha*, *M. nervosa* and *M. racemosa*)

mikania (*Mikania* spp. other than *M. micrantha*)

Peruvian primrose bush (*Ludwigia peruviana*)

prickly pear (*Opuntia* spp. other than *O. aurantiaca*, *O. elata*, *O. ficus-indica*, *O. microdasys*, *O. monacantha*, *O. stricta*, *O. streptacantha* and *O. tomentosa*)

red sesbania (*Sesbania punicea*)

salvinias (*Salvinia* spp. other than *S. molesta*)

serrated tussock (*Nassella trichotoma*)

Siam weed (*Chromolaena* spp. other than *C. odorata* and *C. squalida*)

spiked pepper (*Piper aduncum*)

tropical soda apple (*Solanum viarum*)

water soldiers (*Stratiotes aloides*)

witch weeds (*Striga* spp. other than native species)

Part 4 - Invasive biosecurity matter—invasive animals

All amphibians, mammals and reptiles other than the following—

amphibians, mammals and reptiles that are restricted matter

amphibians, mammals and reptiles indigenous to Australia, including marine mammals of the orders Cetacea, Pinnipedia and Sirenia

alpaca (*Lama pacos*)

asian house gecko (*Hemidactylus frenatus*)

axolotl (*Ambystoma mexicanum*)

bison or American buffalo (*Bison bison*)

black rat (*Rattus rattus*)

camel (*Camelus dromedarius*)

cane toad (*Rhinella marina* syn. *Bufo marinus*)

cat (*Felis catus* and *Prionailurus bengalensis* x *Felis catus*)

cattle (*Bos* spp.)

chital (axis) deer (*Axis axis*)

dog (*Canis lupus familiaris*)

donkey (*Equus asinus*)

European hare (*Lepus europaeus*)

fallow deer (*Dama dama*)

goat (*Capra hircus*)

guanicoe (*Lama guanicoe*)

guinea pig (*Cavia porcellus*)

horse (*Equus caballus*)

house mouse (*Mus musculus*)

llama (*Lama glama*)

mule (*Equus caballus* x *Equus asinus*)

pig (*Sus scrofa*)

red deer (*Cervus elaphus*)

rusa deer (*Rusa timorensis* syn. *Cervus timorensis*)

sewer rat (*Rattus norvegicus*)

sheep (*Ovis aries*)

water buffalo (*Bubalus bubalis*)

Part 5 - Marine animals and plants

American slipper limpet (*Crepidula fornicata*)

Asian bag mussel, Asian date mussel (*Musculista senhousia*)

Asian clam, brackish-water corbula (*Corbula* (Potamocorbula) *amurensis*)

Asian green mussel (*Perna viridis*)

Asian seaweed (*Sargassum muticum*)

black striped mussel (*Mytilopsis sallei*)

brown mussel (*Perna perna*)

centric diatoms (*Chaetoceros concavicornis*, *C. convolutes*)

Chinese mitten crab (*Eriocheir* spp.)

colonial sea squirt (*Didemnum* spp.)—exotic invasive strains

comb jelly (*Mnemiopsis leidyi*)

Part 5 - Marine animals and plants

European barnacle (<i>Balanus improvisus</i>)
European clam (<i>Varicorbula gibba</i>)
European fan worm (<i>Sabella spallanzanii</i>)
European green crab (<i>Carcinus maenas</i>)
green macroalga (<i>Caulerpa taxifolia</i>)—exotic strains
green macroalga (<i>Codium fragile</i> ssp. <i>tomentosoides</i>)
jack-knife clam (<i>Ensis directus</i>)
Japanese/Asian shore crab (<i>Hemigrapsus sanguineus</i>)
Japanese seaweed (<i>Undaria pinnatifida</i>)
lady crab (<i>Charybdis japonica</i>)
marbled spinefoot, rabbit fish (<i>Siganus rivulatus</i>)
New Zealand screwshell (<i>Maoricolpus roseus</i>)
northern Pacific seastar (<i>Asterias amurensis</i>)
Pacific oyster (<i>Crassostrea gigas</i>)
pennate diatom (<i>Pseudo-nitzschia seriata</i>)
rapa whelk (<i>Rapana venosa</i> (syn <i>Rapana thomasi</i>))
red gilled mudworm (<i>Marenzelleria</i> spp.)
red macroalga (<i>Grateloupia turuturu</i> (syn <i>Grateloupia doryphora</i>))
round goby (<i>Neogobius melanostomus</i>)
soft shell clam (<i>Mya arenaria</i>)
toxic dinoflagellates (<i>Dinophysis norvegica</i> , <i>Alexandrium monilatum</i> and <i>Pfiesteria piscicida</i>)

Part 6 - Noxious fish

aba aba (<i>Gymnarchus niloticus</i>)
Adriatic sturgeon (<i>Acipenser naccarii</i>)
African butter catfish (<i>Schilbe mystus</i>)
African lungfish (<i>Protopterus annectens</i>)
African pike (<i>Hepsetus odoe</i>)
African pike-characin, tubenose poacher, fin eater (fish of the subfamily <i>Ichthyborinae</i>)
Alfaro huberi (<i>Alfaro huberi</i>)
American gar, alligator gar, armoured gar (<i>Atractosteus</i> spp. and <i>Lepisosteus</i> spp.) other than <i>Atractosteus spatula</i> and <i>Lepisosteus oculatus</i>
Amur sturgeon (<i>Acipenser schrenckii</i>)
angler catfish (<i>Chaca bankanensis</i>)
Atlantic sturgeon (<i>Acipenser oxyrinchus oxyrinchus</i>)
Baikal sturgeon (<i>Acipenser baerii baicalensis</i>)
banded jewelfish (<i>Hemichromis fasciatus</i>)
banded sunfish
spotted sunfish (family <i>Centrarchidae</i>)
barred tail pearlfish (<i>Leptolebias minimus</i>)
beluga (<i>Huso huso</i>)
bighead carp (<i>Aristichthys nobilis</i>)

Part 6 - Noxious fish
bigmouth sleeper (<i>Gobiomorus dormitor</i>)
bluegill (<i>Lepomis</i> spp.)
bottlenose, cornish jack (<i>Mormyrops anguilloides</i>)
bowfin (<i>Amia calva</i>)
brook stickleback (<i>Culaea inconstans</i>)
burmensis frogmouth catfish (<i>Chaca burmensis</i>)
catla (<i>Catla catla</i>)
chameleon goby, striped goby (<i>Tridentiger trigonocephalus</i>)
channel catfish (<i>Ictalurus punctatus</i>)
Chinese sturgeon (<i>Acipenser sinensis</i>)
Chinese swordfish (<i>Psephurus gladius</i>)
copper mahseer (<i>Neolissochilus hexagonolepis</i>)
discus ray (<i>Paratrygon aiereba</i>)
electric catfish (<i>Malapterurus</i> spp.)
electric eel (<i>Electrophorus electricus</i>)
European catfish, wels catfish (<i>Silurus</i> spp.)
European sturgeon (<i>Acipenser sturio</i>)
fat sleeper (<i>Dormitator maculatus</i>)
flatnose catfish, dwarf giraffe catfish (<i>Anaspidoglanis macrostomus</i>)
forktail lates (<i>Lates microlepis</i>)
fourspine stickleback (<i>Apeltes quadracus</i>)
freshwater minnow (<i>Zacco platypus</i>)
fringebarbel sturgeon (<i>Acipenser nudiventris</i>)
frogmouth catfish, squarehead catfish (<i>Chaca chaca</i>)
gambusia, mosquito fish (<i>Gambusia</i> spp.) other than <i>Gambusia holbrooki</i>
giant barb (<i>Catlocarpio siamensis</i>)
giant bully (<i>Gobiomorphus gobioides</i>)
gilled lungfish (<i>Protopterus amphibius</i>)
grass carp (<i>Ctenopharyngodon idella</i>)
green sturgeon (<i>Acipenser medirostris</i>)
Gulf sturgeon (<i>Acipenser oxyrinchus destotoi</i>)
Hypseleotris tohizonae (<i>Hypseleotris tohizonae</i>)
Japanese sturgeon (<i>Acipenser multiscutatus</i>)
knife-edged livebearer (<i>Alfaro cultratus</i>)
lake sturgeon (<i>Acipenser fulvescens</i>)
largemouth bass (<i>Micropterus salmoides</i>)
Leptolebias aureoguttatus (<i>Leptolebias aureoguttatus</i>)
marbled pearlfish (<i>Leptolebias marmoratus</i>)
marble goby (<i>Oxyeleotris marmorata</i>)
Mekong giant catfish (<i>Pangasianodon gigas</i>)
Mississippi paddlefish (<i>Polyodon spathula</i>)
mrigal (<i>Cirrhinus cirrhosus</i>)
Nile perch (<i>Lates niloticus</i>)
ninespine stickleback (<i>Pungitius pungitius</i>)
opal pearlfish (<i>Leptolebias opalescens</i>)
orange-fin labeo (<i>Labeo calbasu</i>)

Part 6 - Noxious fish

Oxyeleotris siamensis (<i>Oxyeleotris siamensis</i>)
Oxyeleotris urophthalmoides (<i>Oxyeleotris urophthalmoides</i>)
Oxyeleotris urophthalmus (<i>Oxyeleotris urophthalmus</i>)
Pacific fat sleeper (<i>Dormitator latifrons</i>)
Pacific sleeper (<i>Gobiomorus maculatus</i>)
<i>Pangasius conchophilus</i> (<i>Pangasius conchophilus</i>)
<i>Pangasius elongatus</i> (<i>Pangasius elongatus</i>)
<i>Pangasius krempfi</i> (<i>Pangasius krempfi</i>)
<i>Pangasius kunyit</i> (<i>Pangasius kunyit</i>)
<i>Pangasius macronema</i> (<i>Pangasius macronema</i>)
<i>Pangasius nasutus</i> (<i>Pangasius nasutus</i>)
<i>Pangasius nieuwenhuisii</i> (<i>Pangasius nieuwenhuisii</i>)
parasitic catfish, pencil catfish, candiru catfish (family <i>Trichomycteridae</i>)
Persian sturgeon (<i>Acipenser persicus</i>)
pike characin (<i>Acestrorhynchus microlepis</i>)
pike cichlid (<i>Crenicichla</i> spp.)
pike minnow, pike killifish (<i>Belonesox belizanus</i>)
pike (<i>Esox</i> spp.)
pink, slender, greenwoods, mortimers, cunean and green happy (<i>Sargochromis</i> spp.)
piranhas, pacus (fish of the subfamily <i>Serrasalminae</i>) other than <i>Metynnis</i> spp., <i>Myloplus rubripinnis</i> , <i>Myloplus asterias</i> , <i>Myloplus planquettei</i> and <i>Piaractus brachypomus</i>
purpleface largemouth (<i>Serranochromis</i> spp.)
pygmy sunfish (<i>Elassoma</i> spp.)
redfin bully (<i>Gobiomorphus huttoni</i>)
red swamp crayfish (<i>Procambarus clarkii</i>)
reedfish (<i>Erpetoichthys calabaricus</i>)
ripsaw catfish, black doras, black shielded catfish (<i>Oxydoras</i> spp.)
river carp, deccan, high backed, jungha, putitor, Thai mahseer (<i>Tor</i> spp.)
rohu (<i>Labeo rohita</i>)
Russian sturgeon (<i>Acipenser gueldenstaedtii</i>)
Sakhalin sturgeon (<i>Acipenser mikadoi</i>)
Sentani gudgeon (<i>Oxyeleotris heterodon</i>)
shiners (<i>Notropis</i> spp.)
shortnose sturgeon (<i>Acipenser brevirostrum</i>)
shoulderspot catfish (<i>Schilbe marmoratus</i>)
Siberian sturgeon (<i>Acipenser baerii baerii</i>)
silver carp (<i>Hypophthalmichthys molitrix</i>)
silver catfish (<i>Schilbe intermedius</i>)
slender lungfish (<i>Protopterus dolloi</i>)
snakehead (<i>Channa</i> spp.)
snooks (<i>Centropomus</i> spp.)
South American lungfish (<i>Lepidosiren paradoxa</i>)
Southern redbelly dace (<i>Phoxinus erythrogaster</i>)
spot pangasius (<i>Pangasius larnaudii</i>)
starry sturgeon (<i>Acipenser stellatus</i>)
sterlet (<i>Acipenser ruthenus</i>)

Part 6 - Noxious fish

stinging catfish (<i>Heteropneustes fossilis</i>)
tiger catfish (<i>Pseudoplatystoma fasciatum</i>)
tigerfish (African), pike characin (<i>Hydrocynus</i> spp., subfamilies <i>Hydrocyninae</i> and <i>Alestinae</i>)
tigerfish (South American) or trahira (<i>Erythrinus</i> spp., <i>Hoplerythrinus</i> spp. and <i>Hoplias</i> spp.)
tilapia (<i>Sarotherodon</i> spp., <i>Oreochromis</i> spp. and <i>Tilapia</i> spp.) other than <i>Oreochromis mossambicus</i> and <i>Tilapia mariae</i>
<i>Tomeurus gracilis</i> (<i>Tomeurus gracilis</i>)
tropical carp-gudgeon (<i>Hypseleotris cyprinoides</i>)
twospot lebiasina (<i>Lebiasina bimaculata</i>)
twospot livebearer (<i>Heterandria bimaculata</i>)
Ubangi shovelnose catfish (<i>Bagrus ubangensis</i>)
Valencia toothcarp (<i>Valencia hispanica</i>)
walking catfish, airbreathing catfish (family <i>Clariidae</i>)
white sturgeon (<i>Acipenser transmontanus</i>)
Yangtze sturgeon (<i>Acipenser dabryanus</i>)
yellowbelly gudgeon (<i>Allomogurnda nesolepis</i>)
yellowfin goby (<i>Acanthogobius flavimanus</i>)
yellowtailed catfish (<i>Pangasius pangasius</i>)

Part 7 - Prohibited matter affecting plants

Africanised bee (<i>Apis mellifera scutellata</i>)
ampelopsis rust (<i>Physopella ampelopsidis</i>)
angular leaf spot of strawberry (<i>Xanthomonas fragariae</i>)
apple leaf curling midge (<i>Dasyneura mali</i>)
armyworm (<i>Mythimna unipuncta</i>)
Asian citrus psyllid (<i>Diaphorina citri</i>)
Asian honey bee (<i>Apis dorsata</i> , <i>A. florea</i> , <i>A. cerana</i> other than <i>A. cerana javana</i>)
Asian sugarcane planthopper (<i>Perkinsiella thompsoni</i>)
bacterial blight, angular leaf spot (<i>Xanthomonas axonopodis</i> pv. <i>malvacearum</i>)—resistant strains
bacterial heart and fruit rot of pineapple (<i>Dickeya</i> sp.)
bacterial leaf blight of maize (<i>Pantoea stewartii</i> subsp. <i>stewartii</i>)
bacterial ring rot of potato (<i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i>)
banana bract mosaic virus (<i>Banana bract mosaic virus</i>)
banana skipper (<i>Erionota thrax</i>)
banana stem weevil (<i>Odoiporus longicollis</i>)
black knot (<i>Apiosporina morbosa</i>)
blackline (<i>Cherry leaf roll virus</i>)
black rot of grape (<i>Phyllostica ampellicida</i>)
blood disease bacterium of banana
branched broomrape (<i>Orobanche ramosa</i>)

Part 7 - Prohibited matter affecting plants

breadfruit fruit fly (<i>Bactrocera umbrosa</i>)
brown rot of stonefruit (<i>Monilinia fructigena</i>)
bumblebee (<i>Bombus</i> spp.)
camellia petal blight (<i>Ciborinia camelliae</i>)
chestnut blight (<i>Cryphonectria parasitica</i>)
Chinese fruit fly (<i>Bactrocera minax</i>)
citrus black fly (<i>Aleurocanthus woglumi</i>)
citrus canker (<i>Xanthomonas citri</i> pv. <i>citri</i>)
citrus fruit borer (<i>Citripestis sagitiferella</i>)
citrus greening, Huanglongbing (<i>Candidatus Liberibacter asiaticus</i>)
coconut cadang-cadang viroid (<i>Coconut cadang-cadang viroid</i>)
coffee leaf rust (<i>Hemileia vastatrix</i>)
Colorado potato beetle (<i>Leptinotarsa decemlineata</i>)
Cook Islands fruit fly (<i>Bactrocera melanotus</i>)
cotton boll weevil (<i>Anthonomus grandis</i>)
cotton leaf curl disease (<i>Cotton leaf curl virus</i>)
cut worm (<i>Agrotis interjectionis</i>)
downy mildew of sugarcane (<i>Peronosclerospora sacchari</i>)
drywood longicorn beetle (<i>Stromatium barbatum</i>)
Dutch elm disease (<i>Ceratocystis ulmi</i>)
eucalyptus canker (<i>Chrysosporthe cubensis</i>)
eucalyptus/guava rust (exotic strains of <i>Puccinia psidii</i>)
Eumusae leaf spot (<i>Pseudocercospora eumusae</i>)
European house borer (<i>Hylotrupes bajulus</i>)
European stone fruit yellows (Apricot chlorotic leaf roll phytoplasma)
European stone fruit yellows phytoplasma (European stone fruit yellows phytoplasma)
false codling moth (<i>Cryptophlebia leucotreta</i>)
Fijian fruit fly (<i>Bactrocera passiflorae</i>)
fire blight (<i>Erwinia amylovora</i>)
freckle disease of banana (<i>Phyllosticta</i> and <i>Guignardia</i> species pathogenic on banana other than <i>P. maculata</i>)
fruit fly (<i>Bactrocera atrisetosa</i> , <i>B. decipiens</i> , <i>B. kirki</i> , <i>B. occipitalis</i> , <i>B. tau</i> , <i>B. trilineola</i> , <i>B. trivialis</i> and <i>B. xanthodes</i>)
giant African snail (<i>Achatina fulica</i>)
giant pine scale (<i>Marchalina hellenica</i>)
glassy winged sharpshooter (<i>Homalodisca coagulata</i>)
golden apple snail (<i>Pomacea canaliculata</i>)
golden potato cyst nematode (<i>Globodera rostochiensis</i>)
grape leaf-folder (<i>Desmia funeralis</i>)
grape phylloxera (<i>Daktulosphaira vitifoliae</i>)
grape root rot (<i>Roesleria subterranea</i>)
grapevine leaf rust (<i>Phakopsora euvtitis</i>)
green snail (<i>Cantareus apertus</i>)
guava fruit fly (<i>Bactrocera correcta</i>)
Gypsy moth complex (<i>Lymantria dispar</i>)

Part 7 - Prohibited matter affecting plants

hazelnut blight (<i>Anisogramma anomala</i>)
hessian fly (<i>Mayetiola destructor</i>)
Indian cotton leafhopper (<i>Amrasca biguttula biguttula</i>)
Indian fruit fly (<i>Bactrocera caryeae</i>)
Japanese citrus fruit fly (<i>Bactrocera tsuneonis</i>)
karnal bunt of wheat (<i>Tilletia indica</i>)
khapra beetle (<i>Trogoderma granarium</i>)
leaf scorch of sugarcane (<i>Stagonospora sacchari</i>)
lime gall wasp (<i>Bruchophagus muli</i>)
Longhorn beetle (<i>Monochamus</i> spp.)
mal secco (<i>Plenodermus tracheiphilus</i>)
Mango malformation disease (MMD)
mango pulp weevil (<i>Sternochetus frigidus</i>)
Mediterranean fruit fly (<i>Ceratitis capitata</i>)
melon fly (<i>Bactrocera cucurbitae</i>)
moko and bugtok (moko and bugtok strains of <i>Ralstonia solanacearum</i>)
navel orangeworm (<i>Amyelois transitella</i>)
Oriental fruit fly (<i>Bactrocera dorsalis</i> syn. <i>B. papayae</i> , <i>B. invadens</i> and <i>B. philippinensis</i>)
peach fruit fly (<i>Bactrocera zonata</i>)
peach X phytoplasma (including peach eastern X phytoplasma)
peanut stripe virus (<i>Peanut stripe virus</i>)
pear fruit moth (<i>Numonia pirivorella</i>)
Philippine downy mildew (<i>Peronosclerospora philippinensis</i>)
Pierce's disease (<i>Xylella fastidiosa</i>)
pinewood nematode species complex (<i>Bursaphelenchus</i> spp.)
pink stalk borer (<i>Sesamia grisescens</i>)
rice water weevil (<i>Lissorhoptrus oryzophilus</i>)
pitch canker (<i>Fusarium circinatum</i>)
plum weevil (<i>Conotrachelus nenuphar</i>)
powder post beetle (<i>Lyctus africanus</i>)
red stele (<i>Phytophthora fragariae</i> var. <i>fragariae</i>)
rough strawberry weevil (<i>Otiorhynchus rugosostriatus</i>)
Russian wheat aphid (<i>Diuraphis noxia</i>)
sharka (<i>Plum pox virus</i>)
solanum fruit fly (<i>Bactrocera latifrons</i>)
sorghum mosaic virus (<i>Sorghum mosaic virus</i>)
Sri Lankan fruit fly (<i>Bactrocera kandiensis</i>)
strawberry bud weevil (<i>Anthonomus bisignifer</i>)
strawberry tortrix (<i>Acleris comariana</i>)
subterranean termites, exotic (<i>Coptotermes</i> spp.)
sudden oak death (<i>Phytophthora ramorum</i>)
sugarcane leafhopper (<i>Pyrilla perpusilla</i>)
sugarcane Ramu stunt virus (<i>Sugarcane Ramu stunt virus</i>)
sugarcane streak mosaic virus (<i>Sugarcane streak mosaic virus</i>)
sugarcane white leaf phytoplasma
sugarcane whitefly (<i>Aleurolobus barodensis</i>)

Part 7 - Prohibited matter affecting plants
--

sugarcane woolly aphid (<i>Ceratovacuna lanigera</i>)

Sumatra disease bacterium (<i>Pseudomonas syzygii</i>)
--

summer fruit tortrix (<i>Adoxophyes orana</i>)
--

Texas root rot (<i>Phymatotrichum omnivorum</i>)
--

tomato/potato psyllid (<i>Bactericera cockerelli</i>)

Tongan fruit fly (<i>Bactrocera facialis</i>)

variegated cutworm (<i>Peridroma saucia</i>)
--

verticillium wilt (<i>Verticillium dahliae</i>)—defoliating strain
--

western gall rust (<i>Endocronartium harknessii</i>)
--

western plant bug (<i>Lygus hesperus</i>)

wheat spindle streak mosaic virus (<i>Wheat spindle streak mosaic virus</i>)
--

white potato cyst nematode (<i>Globodera pallida</i>)

zebra chip (<i>Candidatus Liberibacter psyllaeus</i>)

Part 8 -Tramp ants

Argentine ant (<i>Linepithema humile</i>)

tropical fire ant or ginger ant (<i>Solenopsis geminata</i>)
--